

I claim:

1. A disposable hygiene device, comprising:

a toilet seat with a top surface and a bottom surface adapted to fold for storage before or after use;

a receptacle attached to the bottom surface of the toilet seat; and

an adhesive located on the top surface that is exposed after use by removal of a protective covering.
2. The disposable hygiene device of claim 1, wherein the toilet seat further comprising a pair handles located across the toilet seat from each other.
3. The disposable hygiene device of claim 2, further comprising a visual orientation cue on the toilet seat located about half way between the handles.
4. The disposable hygiene device of claim 3, wherein the orientation cue comprises an extension of the toilet seat.
5. The disposable hygiene device of claim 4, wherein the toilet seat comprises at least one fold-line that promotes folding of the toilet seat.
6. The disposable hygiene device of claim 5, further comprising an envelope in which the toilet seat may be stored before or after use.
7. The disposable hygiene device of claim 6, further comprising toilet paper, sanitary wipes, odor control devices, hydroscopic material, and combinations thereof.
8. The disposable hygiene device of claim 1, further comprising a portable hygiene station comprising a support ring capable of receiving the toilet seat.
9. The disposable hygiene device of claim 8, wherein the supporting ring comprises a visual orientation cue to facilitate placement of the toilet seat on the supporting ring.
10. The disposable hygiene device of claim 9, wherein the portable hygiene station further comprises a support grip, a toilet paper dispenser, a sanitary wipe dispenser, a wash basin, a sink, a storage unit, an order control device, a temperature control device, a wheel, a wheel lock, multiples and combinations thereof.

11. The disposable hygiene device of claim 10, wherein the portable hygiene station further comprises a chair with integrated support grips, a plurality of wheels, and a wheel lock.
12. The disposable hygiene device of claim 11, wherein the chair is a bench.
13. The disposable hygiene device of claim 11, wherein the chair comprises a frame.
14. The disposable hygiene device of claim 9, wherein the portable hygiene station further comprises a ramp.
15. The disposable hygiene device of claim 14, wherein the portable hygiene station comprises a transparent material to facilitate identification of completion of a hygiene task.
16. A hygiene station, comprising:
 - a support for an individual in a sitting position;
 - a surface on the support to hold a toilet seat of a disposable hygiene device; and
 - a well or open space in the surface adapted to receive a receptacle of a disposable hygiene device,wherein the surface comprises at least one visual orientation cue for proper alignment of the disposable hygiene device.
17. The hygiene station of claim 16, wherein the visual orientation cue comprises a recess in the surface that corresponds to the shape of the toilet seat.
18. The hygiene station of claim 16, further comprising facilitating components selected from a support grip, a toilet paper dispenser, a sanitary wipe dispenser, a wash basin, a sink, a storage unit, an order control device, a temperature control device, a wheel, a wheel lock, multiples and combinations thereof.
19. The hygiene station of claim 17, further comprising a plurality of modular components that comprise the facilitating components and the chair.
20. The hygiene station of claim 17, wherein the hygiene station is adapted to be used in a bedroom.
21. The hygiene station of claim 16, further comprising a ramp to the support surface.

22. The hygiene station of claim 20, wherein the hygiene station is adapted to be used in a bed.
23. The hygiene station of claim 16, wherein the hygiene device is portable.
24. A hygiene station, comprising:
a central column mounted to a base; and
at least two bathroom fixtures selected from a toilet, a sink, a shower and a bath tub mounted to the central column,
wherein the central column houses a single connection point for the inputs for the bathroom fixtures and outputs for at least two of the bathroom fixtures.
25. The hygiene station of claim 24, wherein at least two bathroom fixtures are rotatably mounted to the central column.
26. The hygiene station of claim 24, further comprising a height adjustment device for at least one of the bathroom fixtures.
27. The hygiene station of claim 24, further comprising an extension device for at least one of the bathroom fixtures.
28. The hygiene station of claim 24, further comprising facilitating components selected from lights, storage, mirrors, support rails, access panels, a ventilation system, a heating and cooling system, a humidity control system, an audio-visual system, a monitoring system, multiples and combinations thereof.
29. The hygiene station of claim 28, wherein the inputs and outputs include a hot and cold water source, a drainage system, an electric power source, computer inputs and outputs, multiples and combinations thereof.
30. The hygiene station of claim 29, wherein the single connection point also serves the inputs and outputs for the facilitating components.
31. The hygiene station of claim 1, wherein the at least two bathroom fixtures are integrally mounted on a platform that is rotatably mounted to the central column.
32. The hygiene station of claim 8, wherein the platform is height adjustable.